TECHNICAL BULLETIN



Metal Core Laminated Panels Used as Exterior Cladding

The International Building Code (IBC) has identified and provided a dedicated section for Metal Composite Material (MCM) panels since its original publication in 2000. (Section 1406)

Manufacturers of laminated panel materials made with an aluminum core sometimes claim compliance with the requirements for non-combustible material as defined in IBC Section 703.3 (2021) through an exception originally written to address the paper facing on gypsum wallboard. This exception is not intended for materials laminated together with a combustible adhesive layer and an aluminum core. This has been addressed by an approved addition to the 2024 IBC, Section 1402.8, which recognizes that there is a certain level of exposure when combustible adhesives are used in exterior wall cladding. This new section requires that metal laminate panels used greater than 40 feet above grade must meet the same performance requirements and successfully be tested to NFPA 285 the same as required for MCM panels.

To promote safe construction practices, the MCM Alliance of the Metal Construction Association promotes that these materials should be compliant with the IBC and subject to NFPA 285 testing.

For more information regarding the topic please read, "Is My Exterior Wall Material Truly Noncombustible?" publicly available on the MCA website www.metalconstruction.org

© 01/2023



Founded in 1983, the Metal Construction Association brings together the diverse metal construction industry for the purpose of expanding the use of all metals used in construction. MCA promotes the benefits of metal in construction through:

- Technical guidance
- Product certification
- Educational and awareness programs
- Advocating for the interests of our industry
- · Recognition of industry-achievement awards
- Monitoring of industry issues, such as codes and standards
- Research to develop improved metal construction products
- Promotional and marketing support for the metal construction industry
- Publications to promote use of metal wall and roof products in construction

For more information, please visit the MCA Web site at www.metalconstruction.org

Copyright © 2023 Metal Construction Association. All rights reserved.

No part of this publication may be reproduced in any form or by any means, including photocopying, or utilized by any information storage or retrieval system without permission of the copyright owner.

This bulletin is for general information only. The bulletin is designed to delineate areas requiring consideration. Information contained in the bulletin should not be used without first securing competent advice with respect to its suitability for any given application. MCA does not assume responsibility and disclaims any representation or warranty, express or implied, that such information is suitable for any general or particular use. Anyone making use of the bulletin assumes all liability resulting from such use.

The existence of the bulletin does not in any respect preclude a member or nonmember of MCA from manufacturing, selling, or specifying products not conforming to the bulletin, nor does the existence of an MCA bulletin preclude its voluntary use by persons other than MCA members. The bulletin does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of the guideline to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before use of the bulletin.

The Metal Construction Association reserves the right to change, revise, add to, or delete any data contained in the bulletin without prior notice.

It is the responsibility of the end user to verify the applicability of this information with the local building and fire officials.

